

+You Web Images Videos Maps News Gmail more >

Sign in



"real time" "non real time"

frame sequence image queue

Advanced search

Search

About 58,300 results (0.22 seconds)

Everything

Images

Maps

Videos

News

Shopping

More

Alexandria, VA

Change location

All results

Related searches

More search tools

Real-time computing - Wikipedia, the free encyclopedia

en.wikipedia.org/wiki/Real-time_computing - Cached
In contrast, a **non-real-time** system is one that cannot guarantee a response A common life analog is standing in a **line** or **queue** waiting for the checkout in a ...

Proceedings of the ninth ACM international conference on Multimedia

dl.acm.org/toc/cfm?id=500141

TOC Service: Spacer **Image** reserves space for checkmark when TOC Service is updated ... Welcome to the 9th **ACM** Multimedia Conference, held Sept. The segmentation of objects in video **sequences** constitutes a prerequisite for data over a constant bit rate channel for **non real-time** video applications and show the ...

Supporting Time-Sensitive Applications on a Commodity OS

dl.acm.org/ft_gateway.cfm?id=344144&type=pdf

by A Goel - 2002 - Cited by 50 - Related articles
non-real time applications. In contrast, TSL focuses on time-**line** of ...

POCS Super-Resolution Sequence Image Reconstruction Based on ...

portal.acm.org/citation.cfm?id=1173553

by C Fan - 2006 - Cited by 5 - Related articles
Available formats: Publisher **Site**. In order to promote disciplined ...

Performance evaluation of IEEE 802.11 e based on ON-OFF traffic ...

portal.acm.org/citation.cfm?id=1385310

by I Papapanagiotou - 2007 - Cited by 7 - Related articles

TOC Service: Spacer **Image** reserves space for checkmark when TOC ...

Show more results from acm.org

[A new adaptive MAC layer protocol for broadband packet wireless ...](#)

[ieeexplore.ieee.org/iel5/90/18503/00851979.pdf?arnumber=851979](#)

by AS Acampora - 2000 - Cited by 19 - Related articles

An impairment-robust direct **sequence** spread-spectrum-based polling signal is ... 1999; approved by IEEE/ACM TRANSACTIONS ON NETWORKING Editor T. D. Todd. ... file, an **image**, etc. ... A timing or **framing** diagram of the proposed medium-access tion dedicated for bursty **non-real-time** traffic and the second ...

[Cloud Computing From Upside Down | Mind Before You Mine](#)

[mindbeforeyoumine.com/.../cloud-computing-from-upside-down/](#) - Cached

Oct 8, 2010 -- So what does it take to move beyond this batch **non-real-time** limitation and ... we can get concurrent processing advantage to reduce **queues** of customers, ... To reduce **sequencing** and increase concurrent leverage and ... From ACM: <http://portal.acm.org/citation.cfm?doid=359576.359585> Twitter **picture** ...

[\[PDF\] OSPERT 2010 Proceedings](#)

[www.artist-embedded.org/docs/Events/.../OSPERT2010-Proceedings.pdf](#)

File Format: PDF/Adobe Acrobat

ample, the display is usually able to allocate a **frame** buffer ... the process of updating the **image** may need to be mon- from the runqueue and enqueues it in a priority-sorted **queue** <http://portal.acm.org/citation.cfm?id=319195.319209> with SCHED OTHER class, which is a **non real-time** policy. ...

[\[PDF\] Is a Bot at the Controls - Detecting Input Data Attacks](#)

[citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.86.7432&rep...](#)

File Format: PDF/Adobe Acrobat - Quick View

by T Schluessler - Cited by 26 - Related articles

non-real-time applications. ... link or alternate form of ad leading to the winning retailer's **site**, The **sequence** of steps performed by the IVS during ... the input event(s) on the filter **queue** to those on the software the total number of cycles used during a **period** of game play as well as **Image** Recognition CAPTCHAs. ...

[\[PDF\] Abbreviations and Acronyms](#)

[www.azouk.com/201450/Master-Acronym-File/open](#)

File Format: PDF/Adobe Acrobat - Quick View

ACL. Applications Connection-Less. **ACM**. Adaptive Coding and Modulation. ACORN ... ADSL2. Asymmetric Digital Subscriber **Line** and Annex J (Supports higher bandwidth) Constrained **Image** Trigger ECM:EPS Embedded Cable Modem: Embedded **Portal** Option. ECN NRT VBR **Non-Real Time** Variable Bit Rate ...

[1](#) [2](#) [3](#) [Next](#)

[Search Help](#) [Give us feedback](#)

[Google Home](#) [Advertising Programs](#) [Business Solutions](#) [Privacy](#) [About Google](#)